

Scientific Poster Session



Monday, October 20 | 5:15 – 6:15 pm EST

DYRK1A, a Discovery Case's Evolution from Research to High-throughput Scalability

The current DYRK1A program has evolved from designing a small number of candidate ASOs to leveraging n-Lorem's high-throughput n-of-1 Discovery pipeline. This work has enabled us to conduct rapid, rigorous and high-quality screening combined with functional studies to specifically target the pathogenic mechanism of this nano-rare disorder.

Craig McIntosh, Ph.D.

Associate Director, ASO Discovery, n-Lorem

Hosted by:









Introduction

DYRK1A Syndrome is an autosomal dominant, rare neurodevelopmental disorder caused by loss of function mutations within the DYRK1A (dual specificity tyrosine-phosphorylation-regulated kinase 1A) gene, leading to what is known as haploinsufficiency of DYRK1A.































COMMON DYRK1A SYNDROME PHENOTYPES



EYES:

Deep set eyes, Optic nerve hypoplasia, eye abnormalities

UPPER BODY:

Gross & motor skill difficulties, Scoliosis, delayed growth low birth weight

BRAIN:

Microcephaly, Intellectual disability, ASD, Seizures and Speech Delay

GI TRACT


Chronic constipation, Food sensitivities, Feeding tube

LOWER LIMBS

Hypertonia, Hypotonia, Small in stature, Feet abnormalities, Unsteady gait


yed






Unsteady gait













LOWER LIMBS

Hypertonia, Hypotonia, Small in stature, Feet abnormalities, Unsteady gait











COMMON DYRK1A SYNDROME PHENOTYPES

EYES:

Deep set eyes, Optic nerve hypoplasia, eye abnormalities

UPPER BODY:

Gross & motor skill difficulties, Scoliosis, delayed growth low birth weight

BRAIN:


Microcephaly, Intellectual disability, ASD, Seizures and Speech Delay

GI TRACT

Chronic constipation, Food sensitivities, Feeding tube

LOWER LIMBS

Hypertonia, Hypotonia, Small in stature, Feet abnormalities, Unsteady gait








Initial ASO V

From the abd to determine



re designed erapeutic.






n-Lorem's High Throughput Screening


These paved the way for n-Lorem's Discovery pipeline for this truly n-of-1 mutation.




3RD ANNUAL





















n-Lorem's Discovery Pipeline, included Single Dose, Dose Response Curve and BJAB Assay




3RD ANNUAL

Nano-rare Patient Colloquium 2025






















Immunoblot of DYRK1A Nuclear and Cytoplasmic Fractionated Samples

In splicing cases it is best practice to confirm splice-modulation at the transcript level has had a concomitant modulation of protein expression. In the case of our DYRK1A patient we expect to see an increase in DYRK1A protein and specifically, an increase in nuclear DYRK1A
































Conclusion



Activities occur in parallel for efficiency



Leverages robots to ensure comprehensive design



High-throughput



Scalable with high-quality



Efficient and more cost-effective



Acknowledgements

We would like to thank the **DYRK1A Syndrome International Association** for their grant funding that allowed a portion of the discovery program to be completed.



